

# SAFETY DATA SHEET

# **Furniture Polish**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

*Trade name:* Furniture Polish

Product no.: 10710

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: None known.

Product code (A.I.S.E.): AISE-P408 / Polish / impregnating agent.

Spray and wipe manual process.

Use descriptors (REACH):

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)

Uses advised against: Uses other than those identified are not

recommended

1.3. Details of the supplier of the safety data sheet

Company and address: Caterforce Ltd

2nd Floor, Fence House

Fence Avenue

SK10 1LT Macclesfield, Cheshire

United Kingdom 01625 440188 01625 503481

www.caterforce.co.uk

Contact person: Enquiries

E-mail: enquiries@caterforce.co.uk

*Revision:* 13/08/2025

SDS Version: 3.0

Date of previous version: 18/02/2025 (2.0)

1.4. ▼ Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)



General public:

England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### 2.1. Classification of the substance or mixture

\_

#### 2.2. Label elements

Hazard pictogram(s):Not applicable.Signal word:Not applicable.Hazard statement(s):Not applicable.

Precautionary statement(s):

▼ General:Not applicable.▼ Prevention:Not applicable.▼ Response:Not applicable.▼ Storage:Not applicable.▼ Disposal:Not applicable.

▼ Hazardous substances:
Does not contain any substances required to

repor

Additional labelling: EUH210, Safety data sheet available on

request.

Labelling of contents according to Detergents Regulation (EC) No 648/2004 (applicable to packaging of detergents sold to the general public): < 5% · Non-ionic surfactants

· Perfumes

· Preservation agent

(METHYLISOTHIAZOLINONE)

Preservation agent (BENZISOTHIAZOLINONE)

# 2.3. Other hazards

Additional warnings: This mixture/product does not contain any

substances known to fulfil the criteria for PBT

and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2023/707.



#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
propan-2-ol;isopropyl alcohol;isopropanol	CAS No.: 67-63-0 EC No.: 200-661-7 UK-REACH: Index No.: 603-117-00-0	1-3%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
2-methylisothiazol-3(2H)- one	CAS No.: 2682-20-4 EC No.: 220-239-6 UK-REACH: Index No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
1,2-benzisothiazol-3(2H)- one;1,2-benzisothiazolin- 3-one	CAS No.: 2634-33-5 EC No.: 220-120-9 UK-REACH: Index No.: 613-088-00-6	<0.0015%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

#### **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms



persist. Never give an unconscious person

water or other drink.

Inhalation: Upon breathing difficulties or irritation of the

respiratory tract: Bring the person into fresh

air and stay with him/her.

Skin contact: Upon irritation: rinse with water. In the event

of continued irritation, seek medical

assistance.

Eye contact: If in eyes: Flush eyes with water or saline

water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during

transport.

*Ingestion:* If the person is conscious, rinse the mouth

with water and stay with the person. Never

give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking

on vomited material.

Burns: Not applicable.

**4.2. Most important symptoms and effects, both acute and delayed** None known.

# **4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

#### 5.3. Advice for firefighters

No specific requirements.



#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same

material as the original container.

Storage conditions: Dry, cool and well ventilated

*Incompatible materials:* Strong acids, strong bases, strong oxidizing

agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

propan-2-ol;isopropyl alcohol;isopropanol Long term exposure limit (8 hours) (ppm): 400 Long term exposure limit (8 hours) (mg/m³): 999



Short term exposure limit (15 minutes) (ppm): 500 Short term exposure limit (15 minutes) (mg/m³): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

# **DNEL**

# 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	345 µg/kg bw/day
Long term – Systemic effects - Workers	Dermal	966 µg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.2 mg/m³
Long term – Systemic effects - Workers	Inhalation	6.81 mg/m³

# 2-methylisothiazol-3(2H)-one

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	21 μg/m³
Long term – Local effects - Workers	Inhalation	21 μg/m³
Short term – Local effects - General population	Inhalation	43 μg/m³
Short term – Local effects - Workers	Inhalation	43 μg/m³
Long term – Systemic effects - General population	Oral	27 μg/kg bw/day
Short term – Systemic effects - General population	Oral	53 μg/kg bw/day

# propan-2-ol;isopropyl alcohol;isopropanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day

#### **PNEC**

#### 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		4.03 μg/L
Freshwater sediment		49.9 μg/kg
Intermittent release (freshwater)		1.1 μg/L



Intermittent release (marine water)	110 ng/L
Marine water	403 ng/L
Marine water sediment	4.99 μg/kg
Sewage treatment plant	1.03 mg/L
Soil	3 mg/kg

#### 2-methylisothiazol-3(2H)-one

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 µg/L
Intermittent release (freshwater)		3.39 µg/L
Intermittent release (marine water)		3.39 µg/L
Marine water		3.39 µg/L
Sewage treatment plant		230 μg/L
Soil		47.1 μg/kg

propan-2-ol;isopropyl alcohol;isopropanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release (freshwater)		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L
Soil		28 mg/kg

# 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Professional users are subjected to the

legally set maximum concentrations for occupational exposure. See occupational

hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a

minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.



Apply standard precautions during use of the

product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end

of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and

face.

*Measures to avoid environmental exposure:* No specific requirements.

# Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective

equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
No special when used as intended.				

## Skin protection:

Recommended	Type/Category	Standards	
No special when used as intended.	-	-	

### Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
No special when used as intended	-	-	-	

#### Eye protection:

Туре	Standards	
No special when	-	
used as intended.		

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical state:LiquidColour:WhiteOdour / Odour threshold:FloralpH:6.5 - 7.5

Density (q/cm³):

**▼** *Kinematic viscosity:* No data available.

Particle characteristics: Does not apply to liquids.

**Phase changes** 

**▼** *Melting point/Freezing point (°C):* No data available.



Softening point/range (°C): Does not apply to liquids.

▼ Boiling point (°C):

 ▼ Vapour pressure:
 ▼ Relative vapour density:
 ▼ Decomposition temperature (°C):

 No data available.
 ▼ Decomposition temperature (°C):

Data on fire and explosion hazards

▼ Flash point (°C): No data available.
▼ Flammability (°C): No data available.
▼ Auto-ignition temperature (°C): No data available.
▼ Lower and upper explosion limit (% v/v): No data available.

**Solubility** 

Solubility in water: Very soluble

▼ *n-octanol/water coefficient (LogKow):* No data available. ▼ *Solubility in fat (g/L):* No data available.

9.2. Other information

Other physical and chemical parameters: No data available. ▼ Oxidizing properties: No data available.

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### **10.6. ▼** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.



#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

## **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Long term effects

None known.

#### **▼** Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

propan-2-ol;isopropyl alcohol;isopropanol has been classified by IARC as a group 3 carcinogen.

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### **12.1. ▼ Toxicity**

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

# 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.



# 12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code: Not applicable.

# **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

	'	14.2 UN proper shipping name	14.3 Hazard class(es)		Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

#### **Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: No special.

*Demands for specific education:* No specific requirements.

SEVESO - Categories / dangerous substances: Not applicable.

<sup>\*\*</sup> Environmental hazards



REACH, Annex XVII:

propan-2-ol;isopropyl alcohol;isopropanol is subject to UK-REACH restrictions (entry 40).

Labelling of contents according to Detergents Regulation (EC) No 648/2004:

< 5%

· Non-ionic surfactants

· Perfumes

· Preservation agent

(METHYLISOTHIAZOLINONE)

Preservation agent (BENZISOTHIAZOLINONE)

Additional information:

Sources:

Not applicable.

The Health and Safety at Work etc. Act 1974

Regulations 2013.

Regulation (EC) No 648/2004 on detergents

as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on

classification, labelling and packaging of substances and mixtures (CLP) as retained

and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained

and amended in UK law.

# 15.2. Chemical safety assessment

Νo

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H225, Highly flammable liquid and vapour.

H301, Toxic if swallowed.

H302, Harmful if swallowed.

H311, Toxic in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H336, May cause drowsiness or dizziness.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

PC 35 = Washing and Cleaning Products (including solvent based products)

# **Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### **Additional information**

Not applicable.

#### The safety data sheet is validated by

**Anglian Chemicals** 



#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en