

PROCLEAN THICK BLEACH 5 LITRES

Page: 1

Compilation date: 07/04/2009

Revision date: 10/01/2020

Revision No: 8

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PROCLEAN THICK BLEACH 5 LITRES

Product code: 10687

Synonyms: THICK BLEACH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products). PC8:

Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: ProClean Limited

2nd Floor, Fence House

Fence Avenue Macclesfield Cheshire SK10 1LT

United Kingdom **Tel:** 01625 440188

Fax: 01625 503481

Email: enquiries@caterforce.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 2: H411; -: EUH031; Met. Corr. 1:

H290

Most important adverse effects: Contact with acids liberates toxic gas. Causes skin irritation. Causes serious eye

irritation. May be corrosive to metals. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH031: Contact with acids liberates toxic gas.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H290: May be corrosive to metals.

H411: Toxic to aquatic life with long lasting effects.

PROCLEAN THICK BLEACH 5 LITRES

Hazard pictograms: GHS05: Corrosion

GHS09: Environmental





Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P273: Avoid release to the environment.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM HYPOCHLORITE 14-15%

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
231-668-3	7681-52-9	-	Skin Corr. 1B: H314; -: EUH031	15-50%	
SODIUM LAURETH SULPHATE 70%					
239-925-1	9004-82-4	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%	
SODIUM HYDROXIDE					

Contains: Contains a maximum of 4.99% Sodium Hypochlorite

Section 4: First aid measures

215-185-5

4.1. Description of first aid measures

1310-73-2

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

Skin Corr. 1A: H314

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

<1%

Page: 2

PROCLEAN THICK BLEACH 5 LITRES

Page: 3

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

PROCLEAN THICK BLEACH 5 LITRES

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

SODIUM HYDROXIDE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

PROCLEAN THICK BLEACH 5 LITRES

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Pungent

Solubility in water: Soluble

Viscosity: Viscous

Boiling point/range°C: 100 Flash point°C: >93

pH: >11.5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM HYPOCHLORITE 14-15%

ODI	DAT	1 DE0	5000	/1
ORL	RAT	LD50	5000	mg/kg

PROCLEAN THICK BLEACH 5 LITRES

Page: 6

SODIUM LAURETH SULPHATE 70%

ORL	RAT	LD50	>2000	ma/ka
J V. 1.=			7 = 000	g,g

SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

PROCLEAN THICK BLEACH 5 LITRES

Page: 7

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH031: Contact with acids liberates toxic gas.

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.



Thick Bleach **5** Litres



Product Code: 10687

Thick bleach is an ideal product for removing stains, cleaning & disinfecting drains, urinals and lavatories. The viscous formulation provides optimum performance and is effective against mould and mildew stains.

Uses:

The viscous formula clings to vertical surfaces and disinfects toilet bowls, drains and sinks.

How to use:

Avoid contact with fabrics.

Pour undiluted bleach in to toilets and drains.

Clean hard surfaces by mopping, scrubbing or wiping. Rinse surfaces after use with clean water.

Inaredients:

Agua, <5% Sodium Hypochlorite, Anionic Surfactants, Amphoteric Surfactants and Sodium Hydroxide.

Also contains: Sodium Silicate.

Health & Safety:

DANGER

Contact with acids liberate toxic gas. Causes skin irritation & seriouseye irritation. May be corrosive to metals.

Toxic to aquatic life with long lasting effects.

Eyes: Rinse cautiously with running water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes.

Skin: Remove immediately all contaminated clothing unless stuck to the skin. Rinse with water.

Inhalation: Move to fresh air. **KEEP OUT OF THE REACH OF CHILDREN**

FOR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL USE

ALWAYS REFER TO SAFETY DATA SHEET BEFORE USE CONTAINS LESS THAN 4.95% SODIUM HYPOCHLORITE AND ATTHIS CONCENTRATION IS EXEMPTFROM ADR/HAZCHEM REGULATIONS UNDER LIMITED QUANTITY RESTRICTIONS.

Technical Data

Clear Liquid **Appearance: Pale Yellow** Colour:

Density: 1.08 pH: 11.5

Fragrance: **Pungent Chlorine Stability:** 6 Months unopened

Biodegradability

All surfactants used in ProClean products meet the requirements of the EU Detergent Directive 2005 -2004/648/EC. This requires all surfactants to break down both quickly and completely into harmless material such as CO₂ and water.









